### Raspberry Maximum Residue Limits (MRLs) for USA and Foreign Trade Markets - Insecticides

Dani Lightle, Pesticide Registration Research Leader, Oregon State University

danielle.lightle@oregonstate.edu

### Current as of: December 27, 2021

Active Ingredient	Example Trade Name	USA	Australia	Canada	China	сорех	EU	Great Britain	Hong Kong	Japan	Korea	Taiwan
Abamectin	AgriMek	0.2	0.2	0.2	0.2	0.2	{0.08}	{80.0}	-	{0.05}	{0.05}	{0.02}
Acequinocyl	Kanemite	4		4	{0.01}		{0.01}	{0.01}	-	{0.01}	{0.5}	
Acetamiprid	Assail	1.6	2	4	2	2	2	2		2	{1}	{1}
Bifenazate	Acramite	5	7	5		7	7	7		7	{0.5}	
Bifenthrin	Brigade	1	3	1		1	1	1	1	1	{0.3}	1
Carbaryl	Sevin	12	15	{10}			{0.01}	{0.01}		12	{0.5}	{0.5}
Chlorantraniliprole	Altacor	1.8	2.5	{0.9}	{1}	{1}	{1}	{1}	{1}	2	{1}	1.8
Cyantraniliprole	Exirel	4	{0.05}	4	4		{0.01}	{0.01}		{0.01}	{0.3}	
Diazinon	Diazinon	0.75	{0.5}	{0.1}		{0.2}	{0.01}	{0.01}	{0.2}	{0.2}	{0.01}	{0.5}
Esfenvalerate	Asana	1	1	{0.1}	{0.2}		{0.02}	{0.02}	{0.2}	1	{0.01}	1
Etoxazole	Zeal	1.5	{0.5}	1.5			{0.01}	{0.01}		{0.01}	{0.2}	{0.01}
Fenbutatin-Oxide	Vendex	10	{1}	{0.1}			{0.01}	{0.01}	10	10	{0.01}	
Fenpropathrin	Danitol	12		12	{5}		{0.01}	{0.01}	<b>{5</b> }	12	{0.01}	{3}
Fenpyroximate	FujiMite	3	{1.5}	{0.1}		{0.2}	{1.5}	{1.5}	-	{0.2}	{0.7}	{0.5}
Flupyradifurone	Sivanto	5	{0.02}	5		6	{1.5}	{1.5}		{0.01}	{1}	
Hexythiazox	Savey	3	{1}	{1.5}			{0.5}	{0.5}	-	{0.01}	{0.01}	{1}
Imidacloprid	Admire	2.5	5	2.5	5	5	5	5	5	4	{1.5}	{1}
Malathion	Malathion	8	10	8			{0.02}	{0.02}	8	8	{6}	{0.01}
Methoxyfenozide	Intrepid	6	{0.03}	6			{0.01}	{0.01}		6	{1}	{0.01}
Pyrethrins	Pyganic	1	1	1			1	1		1	{0.01}	
Pyriproxyfen	Esteem	1	{0.1}	{0.1}			{0.05}	{0.05}		{0.01}	{0.01}	{0.5}
Spinetoram	Delegate	0.8	{0.5}	{0.5}	0.8	0.8	1	1	-	0.8	{0.7}	{0.5}
Spinosad	Entrust	1	{0.7}	{0.5}		1	1.5	1.5	-	1	{0.5}	1
Sulfoxaflor	Transform	1.5	{1}	{0.1}			{0.01}	{0.01}		{0.01}	{0.5}	
Tebufenozide	Confirm	3	{0.05}	{0.1}		{2}	{2}	{2}	{2}	{2}	{2}	{2}
Thiamethoxam	Actara	0.35	0.5	0.5	0.5	0.5	{0.01}	{0.01}	0.5	0.5	1	0.5
Tolfenpyrad	Bexar	7		{0.1}			{0.01}	{0.01}		{0.01}	{0.01}	{0.01}
Zeta-cypermethrin	Mustang	0.8	{0.5}	0.8			{0.5}	{0.5}		{0.5}	{0.01}	2

<sup>{ } =</sup> indicate a MRL that is lower than US tolerances

<sup>--- =</sup> no MRL established in that market

# Blackberry Maximum Residue Limits (MRLs) for USA and Foreign Trade Markets - Insecticides

Dani Lightle, Pesticide Registration Research Leader, Oregon State University

danielle.lightle@oregonstate.edu

### Current as of: December 27, 2021

Active Ingredient	Example Trade Name	USA	Australia	Canada	China	сорех	EU	Great Britain	Hong Kong	Japan	Korea	Taiwan
Abamectin	AgriMek	0.2	0.2	0.2	0.2	0.2	{0.08}	{80.0}		{0.05}	{0.05}	{0.02}
Acequinocyl	Kanemite	4		4	{0.01}		{0.01}	{0.01}		{0.01}	{0.5}	
Acetamiprid	Assail	1.6	{0.1}	4	2	2	2	2		2	{1}	{1}
Bifenazate	Acramite	5	7	5	7	7	7	7		7	{0.5}	
Bifenthrin	Brigade	1	3	1	1	1	1	1	1	1	{0.3}	1
Carbaryl	Sevin	12	{0.02}	{10}			{0.01}	{0.01}		12	{0.5}	{0.5}
Chlorantraniliprole	Altacor	1.8	2.5	{0.9}	{1}	<b>{1}</b>	{1}	{1}	<b>{1}</b>	2	{1}	1.8
Cyantraniliprole	Exirel	4	{0.05}	4	4		{0.01}	{0.01}		{0.01}	{0.3}	
Diazinon	Diazinon	0.75	{0.5}	{0.1}	{0.1}	{0.1}	{0.01}	{0.01}	{0.1}	{0.1}	{0.01}	{0.5}
Esfenvalerate	Asana	1	1	{0.1}	{0.2}		{0.02}	{0.02}	{0.2}	1	3	1
Etoxazole	Zeal	1.5	{0.5}	1.5			{0.01}	{0.01}		{0.01}	{0.2}	{0.01}
Fenpropathrin	Danitol	12		12	{5}		{0.01}	{0.01}	<b>{5</b> }	12	{0.01}	{3}
Fenpyroximate	FujiMite	3	{0.1}	{0.1}			{0.7}	{0.7}		{0.01}	{0.7}	{0.5}
Flupyradifurone	Sivanto	5	{0.02}	5		6	{1.5}	{1.5}		{0.01}	{1}	
Hexythiazox	Savey	3	{1}	{1.5}			{0.5}	{0.5}		{0.01}	{0.01}	{1}
Imidacloprid	Admire	2.5	5	2.5	5	5	5	5	5	4	{1.5}	{1}
Malathion	Malathion	8	10	8			{0.02}	{0.02}	8	8	{6}	{0.01}
Methoxyfenozide	Intrepid	6	{0.03}	6			{0.01}	{0.01}		6	{1}	{0.01}
Pyrethrins	Pyganic	1	1	1			1	1	1	1	1	
Pyriproxyfen	Esteem	1	{0.1}	{0.1}			{0.05}	{0.05}		{0.01}	{0.01}	{0.5}
Spinetoram	Delegate	0.8	{0.5}	{0.5}			1	1		{0.7}	{0.7}	
Spinosad	Entrust	1	{0.7}	{0.5}	1	1	1.5	1.5		1	{0.5}	1
Sulfoxaflor	Transform	1.5	{1}	{0.1}			{0.01}	{0.01}		{0.01}	{0.5}	
Tebufenozide	Confirm	3	{0.05}	{0.1}			{0.01}	{0.01}	3	3	{2}	{0.01}
Thiamethoxam	Actara	0.35	0.5	0.5	0.5	0.5	{0.01}	{0.01}	0.5	0.5	1	0.5
Tolfenpyrad	Bexar	7		{0.1}			{0.01}	{0.01}		{0.01}	{0.01}	{0.01}
Zeta-cypermethrin	Mustang	0.8	{0.5}	0.8			{0.5}	{0.5}		{0.5}	2	2

<sup>{ } =</sup> indicate a MRL that is lower than US tolerances

<sup>--- =</sup> no MRL established in that market

# Raspberry Maximum Residue Limits (MRLs) for USA and Foreign Trade Markets - Fungicides

Dani Lightle, Pesticide Registration Research Leader, Oregon State University <u>danielle.lightle@oregonstate.edu</u>

### Current as of: December 27, 2021

Active Ingredient	Example Trade Name	USA	Australia	Canada	China	СОБЕХ	EU	Great Britain	Hong Kong	Japan	Korea	Taiwan
Azoxystrobin	Abound	5	5	5	5	5	5	5	5	5	{3}	5
Captan	Captan	25	30	<b>{5</b> }		{20}	{20}	{20}	{20}	{20}	<b>{5</b> }	{20}
Fenhexamid	Elevate	20	20	20	{5}	{15}	{15}	{15}	{15}	{15}	{5}	
Fosetyl-al	Aliette	0.1	100	0.1			300	300		70	1	20
Iprodione	Rovral	15	{12}	25		30	{0.01}	{0.01}	30	{5}	30	{5}
Isofetamid	Kenja	4	5	4		{3}	{3}	{3}	-	4	{0.01}	
Mefenoxam	Ridomil Gold	0.7	{0.5}	{0.2}		{0.2}	{0.02}	{0.02}	{0.2}	{0.2}	{0.2}	1
Myclobutanil	Rally	2	2	2			{0.01}	{0.01}	-	2	{0.01}	{0.5}
Oxathiapiprolin	Orondis Gold	0.5	0.5	0.5		0.5	0.5	0.5		0.5	0.5	
Penthiopyrad	Fontelis	10	{0.05}	10		10	{0.01}	{0.01}		{0.01}	{0.5}	
Propiconazole	Tilt	1	1	1			{0.01}	{0.01}		{0.05}	{0.01}	{0.5}
Pyraclostrobin	Cabrio	4	4	{3.5}		{3}	{3}	{3}	{2}	{3}	{3}	{3}
Pyriofenone	Prolivo	0.9	0.9	0.9		0.9	0.9	0.9		0.9	{0.01}	
			F	ungicide	pre-mixt	ure form	ulations					
Azoxystrobin +		5	5	5	5	5	5	5	5	5	{3}	5
propiconazole	QuiltXcel	1	1	1			{0.01}	{0.01}		{0.05}	{0.01}	{0.5}
Boscalid +		10	10	{6}	10	10	10	10	10	10	{9}	{6}
pyraclostrobin	Pristine	4	4	{3.5}		{3}	{3}	{3}	{2}	{3}	{3}	{3}
Captan +		25	30	<b>{5</b> }		{20}	{20}	{20}	{20}	{20}	<b>{5</b> }	{20}
fenhexamid	Captevate	20	20	20	{5}	{15}	{15}	{15}	{15}	{15}	{5}	
Cymoxanil +		4		4			{0.01}	{0.01}		4	{0.01}	{1}
famoxadone	Tanos	10	10	10			{0.01}	{0.01}		10	{0.01}	{0.01}
Cyprodinil +		10	10	10	10	10	{3}	{3}	10	10	10	{3}
fludioxonil	Switch	5	5	7		5	5	5	5	5	5	5
Fluopyram +	Luna	5	5	5	{3}	5	5	5		5	{0.01}	
pyrimethanil	Tranquility	15	15	15	15	15	15	15		{10}	15	{10}
Mefenoxam +	Ridomil Gold	0.7	{0.5}	{0.2}		{0.2}	{0.02}	{0.02}	{0.2}	{0.2}	{0.2}	1
Copper Hydroxide	Copper	exempt	exempt	exempt	exempt	exempt	exempt	exempt	exempt	exempt	exempt	exempt

<sup>{ } =</sup> indicate a MRL that is lower than US tolerances

<sup>--- =</sup> no MRL established in that market

### Blackberry Maximum Residue Limits (MRLs) for USA and Foreign Trade Markets - Fungicides

Dani Lightle, Pesticide Registration Research Leader, Oregon State University

<u>danielle.lightle@oregonstate.edu</u>

# Current as of: December 27, 2021

Active Ingredient	Example Trade Name	USA	Australia	Canada	China	сорех	EU	Great Britain	Hong Kong	Japan	Korea	Taiwan
Azoxystrobin	Abound	5	5	5	5	5	5	5	5	5	{3}	{2}
Captan	Captan	25	30	{0.1}			{20}	{20}		{0.01}	{5}	{20}
Fenhexamid	Elevate	20	20	20	{15}	{15}	{15}	{15}	{15}	{15}	{5}	
Fosetyl-al	Aliette	0.1		0.1		70	300	300		70	1	20
Iprodione	Rovral	25	{12}	25	30	30	{0.01}	{0.01}	30	{12}	30	{5}
Isofetamid	Kenja	4	5	4		{3}	{3}	{3}		4	{0.01}	
Mefenoxam	Ridomil Gold	0.7	{0.5}	{0.1}			{0.02}	{0.02}		0.7	{0.2}	1
Myclobutanil	Rally	2	2	2			{0.8}	{0.8}		2	{0.01}	{0.5}
Oxathiapiprolin	Orondis Gold	0.5	0.5	0.5		0.5	0.5	0.5		0.5	0.5	
Penthiopyrad	Fontelis	10	{0.05}	10		10	{0.01}	{0.01}		{0.01}	{0.5}	
Propiconazole	Tilt	1	1	1			{0.01}	{0.01}		{0.05}	{0.01}	1
Pyraclostrobin	Cabrio	4	4	{3.5}	{3}	{3}	{3}	{3}		{3}	{3}	{3}
Pyriofenone	Prolivo	0.9	0.9	0.9		0.9	0.9	0.9		0.9	{0.01}	
			F	ungicide	pre-mixt	ure form	ulations					
Azoxystrobin +		5	5	5	5	5	5	5	5	5	{3}	{2}
propiconazole	QuiltXcel	1	1	1			{0.01}	{0.01}		{0.05}	{0.01}	1
Boscalid +		10	10	{6}	10	10	10	10	10	10	{9}	{6}
pyraclostrobin	Pristine	4	4	{3.5}	{3}	{3}	{3}	{3}		{3}	{3}	{3}
Cymoxanil +		4		4			{0.01}	{0.01}		4	{0.01}	{1}
famoxadone	Tanos	10		10			{0.01}	{0.01}		10	{0.01}	{0.01}
Cyprodinil +		10	10	10	10	10	{3}	{3}		10	10	{3}
fludioxonil	Switch	5	5	7	5	5	5	5	5	5	5	5
Fluopyram +	Luna	5	{0.2}	5	{3}	5	5	5		5	6	{2}
pyrimethanil	Tranquility	15	15	15	15	15	15	15		{10}	15	{4}
Mefenoxam +	Ridomil Gold	0.7	{0.5}	{0.1}			{0.02}	{0.02}		0.7	{0.2}	1
Copper Hydroxide	Copper	exempt	exempt	exempt	exempt	exempt	exempt	exempt	exempt	exempt	exempt	exempt

<sup>{ } =</sup> indicate a MRL that is lower than US tolerances

<sup>--- =</sup> no MRL established in that market

### Raspberry Maximum Residue Limits (MRLs) for USA and Foreign Trade Markets - Herbicides

Dani Lightle, Pesticide Registration Research Leader, Oregon State University <a href="mailto:danielle.lightle@oregonstate.edu">danielle.lightle@oregonstate.edu</a>

Current as of: December 27, 2021

Active Ingredient	Example Trade Name	USA	Australia	Canada	China	сорех	EU	Great Britain	Hong Kong	Japan	Korea	Taiwan
Carfentrazone	Aim	0.1	{0.05}	0.1			{0.02}	{0.01}	0.1	0.1	0.1	0.1
Clethodim	Select Max	0.3	{0.1}	{0.1}			{0.1}	{0.1}		{0.01}	{0.01}	
Dichlobenil	Casoron	0.1	1	0.1	0.2	0.2	{0.01}	{0.01}		{0.01}	{0.01}	
Diuron	Karmex	0.1	{0.05}	0.1			{0.01}	{0.01}	0.1	{0.05}	{0.01}	
Fluazifop	Fusilade	0.08	0.2	0.08	{0.01}	0.08	{0.01}	{0.01}		{0.01}	{0.01}	{0.01}
Flumioxazin	Chateau	0.5	{0.02}	0.5		-	{0.02}	{0.02}	-	{0.01}	{0.01}	
Glyphosate	Roundup	0.2	{0.05}	{0.1}	{0.1}	-	{0.1}	{0.1}	0.2	0.2	0.2	0.2
Halosulfuron	Sandea	0.05	0.05	0.05		-	{0.01}	{0.01}	-	0.05	{0.01}	
Indaziflam	Alion	0.01		0.01			0.01	0.01		0.01	0.01	
Isoxaben	Trellis	0.01		0.1			0.05	0.05		0.01	0.01	
Mesotrione	Callisto	0.01	0.01	0.1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
Napropamide	Devrinol	0.1	0.1	0.1			{0.01}	{0.01}	0.1	0.1	{0.01}	{0.01}
Norflurazon	Solicam	0.2	{0.05}	{0.1}		-	{0.01}	{0.01}	-	0.2	{0.01}	
Oryzalin	Surflan	0.05	0.1	0.1			{0.01}	{0.01}	0.05	0.08	{0.01}	
Oxyfluorfen	Goal	0.05		0.05			0.05	0.05		{0.01}	{0.01}	{0.01}
Paraquat	Gramoxone	0.05	0.05	0.05	{0.01}	{0.01}	{0.02}	{0.02}	{0.01}	0.05	{0.01}	{0.01}
Pronamide (propyzamide)	Kerb	0.05	{0.02}	0.1			{0.01}	{0.01}		{0.01}	{0.01}	
Quinclorac	Quinstar 4L	0.08		0.1			{0.01}	{0.01}		{0.01}	{0.01}	
Rimsulfuron	Matrix	0.01		0.01			0.01	0.01		0.01	0.01	
Sethoxydim	Poast	5	{0.1}	5			{0.1}	{0.1}		{0.01}	{0.01}	{0.5}
Simazine	Simazine	0.2	{0.1}	{0.1}			{0.01}	{0.01}		0.2	{0.01}	0.2
S-metolachlor	Dual Magnum	0.1		0.1			{0.05}	{0.05}		{0.01}	{0.01}	{0.01}
Sulfentrazone	Zeus XC	0.15		0.15			{0.01}	{0.01}		{0.05}	{0.01}	
Terbacil	Sinbar	0.2		{0.1}			{0.01}	{0.01}		{0.1}	{0.01}	

All MRLs listed in ppm

### Raspberry Maximum Residue Limits (MRLs) for USA and Foreign Trade Markets – Misc. Materials

Active Ingredient	Example Trade Name	NSA	Australia	Canada	China	сорех	EU	Great Britain	Hong Kong	Japan	Korea	Taiwan
Metaldehyde	Deadline	0.15	1	0.15			{0.05}	{0.05}	0.15	{0.01}	{0.01}	

<sup>{ } =</sup> indicate a MRL that is lower than US tolerances

<sup>--- =</sup> no MRL established in that market

### Blackberry Maximum Residue Limits (MRLs) for USA and Foreign Trade Markets - Herbicides

Dani Lightle, Pesticide Registration Research Leader, Oregon State University

danielle.lightle@oregonstate.edu

### Current as of: December 27, 2021

Active Ingredient	Example Trade Name	USA	Australia	Canada	China	сорех	EU	Great Britain	Hong Kong	Japan	Korea	Taiwan
Carfentrazone	Aim	0.1	{0.05}	0.1			{0.02}	{0.01}	0.1	0.1	0.1	
Clethodim	Select Max	0.3	{0.1}	{0.1}			{0.1}	{0.1}		{0.01}	{0.01}	
Dichlobenil	Casoron	0.1		0.1	0.2	0.2	{0.01}	{0.01}		{0.01}	{0.01}	
Diuron	Karmex	0.1	{0.05}	0.1			{0.01}	{0.01}	0.1	{0.05}	{0.01}	
Fluazifop	Fusilade	0.08	0.2	0.08	{0.01}	0.08	{0.01}	{0.01}		{0.01}	{0.01}	{0.01}
Flumioxazin	Chateau	0.5	{0.02}	0.5			{0.02}	{0.02}		{0.01}	{0.01}	
Glyphosate	Roundup	0.2	{0.05}	{0.1}	{0.1}		{0.1}	{0.1}	0.2	0.2	0.2	0.2
Halosulfuron	Sandea	0.05		0.05			{0.01}	{0.01}		0.05	{0.01}	
Indaziflam	Alion	0.01		0.01			0.01	0.01		0.01	0.01	
Isoxaben	Trellis	0.01		0.1			0.05	0.05		0.01	0.01	
Mesotrione	Callisto	0.01	0.01	0.1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
Napropamide	Devrinol	0.1	0.1	0.1			{0.01}	{0.01}	0.1	0.1	{0.01}	{0.01}
Norflurazon	Solicam	0.1	{0.05}	0.1			{0.01}	{0.01}	0.1	0.1	{0.01}	
Oryzalin	Surflan	0.05	0.1	0.1			{0.01}	{0.01}	0.05	0.08	{0.01}	
Oxyfluorfen	Goal	0.05		0.1			0.05	0.05	0.05	{0.01}	{0.01}	{0.01}
Paraquat	Gramoxone	0.05	0.05	0.05	{0.01}	{0.01}	{0.02}	{0.02}	{0.01}	0.05	{0.01}	{0.01}
Pronamide (propyzamide)	Kerb	0.05	{0.02}	0.1			{0.01}	{0.01}	0.05	{0.01}	{0.01}	
Quinclorac	Quinstar 4L	0.08		0.1			{0.01}	{0.01}		{0.01}	{0.01}	
Rimsulfuron	Matrix	0.01		0.01			0.01	0.01		0.01	0.01	
Sethoxydim	Poast	5	{0.1}	5			{0.1}	{0.1}		{0.01}	{1}	
Simazine	Simazine	0.2	{0.1}	{0.1}			{0.01}	{0.01}	0.2	0.2	{0.01}	
S-metolachlor	Dual Magnum	0.1		0.1			{0.05}	{0.05}		{0.01}	{0.01}	{0.01}
Sulfentrazone	Zeus XC	0.15		0.15			{0.01}	{0.01}		{0.05}	{0.01}	
Terbacil	Sinbar	0.2		{0.1}			{0.01}	{0.01}		{0.1}	{0.01}	

All MRLs listed in ppm

### Blackberry Maximum Residue Limits (MRLs) for USA and Foreign Trade Markets - Misc. Materials

Active Ingredient	Example Trade Name	VSN	Australia	Canada	China	сорех	EU	Great Britain	Hong Kong	Japan	Korea	Taiwan
Ethephon	Ethrel	30	{0.1}	{20}			{0.05}	{0.05}	30	{2}	{0.01}	{2}
Metaldehyde	Deadline	0.15	1	0.15			{0.05}	{0.05}	0.15	{0.01}	{0.01}	

<sup>{ } =</sup> indicate a MRL that is lower than US tolerances

<sup>--- =</sup> no MRL established in that market